

L Number	Hits	Search Text	DB	Time stamp
-	5253	(chip or circuit or microprocessor or processor or IC) same (mark\$4 or indicia or label\$ or identifier or identification or barcode or "bar code" or "machine readable") same (cover\$4 or encapsulat\$4)	USPAT	2004/04/13 18:23
-	1098	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or identification or barcode or "bar code" or "machine readable") with (cover\$4 or encapsulat\$4)	USPAT	2004/04/13 18:23
-	513	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or identification or barcode or "bar code" or "machine readable") with (cover\$4 or encapsulat\$4) with (surface or side or face)	USPAT; US-PGPUB; EPO; JPO	2004/04/13 18:26
-	31	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) with (cover\$4 or encapsulat\$4) with (surface or side or face) with identif\$8	USPAT; US-PGPUB; EPO; JPO	2004/04/13 18:37
-	29	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) with (cover\$4 or encapsulat\$4) with (surface or side or face) with (clear or transparent or transmissive)	USPAT; US-PGPUB; EPO; JPO	2004/04/13 18:44
-	15	(chip or circuit or microprocessor or processor or IC) near3 (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) with (cover\$4 or encapsulat\$4) with (clear or transparent or transmissive)	USPAT; US-PGPUB; EPO; JPO	2004/04/13 19:09
-	102	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) same (cover\$4 or encapsulat\$4) near4 (clear or transparent or transmissive)	USPAT; US-PGPUB; EPO; JPO	2004/04/13 19:26
-	4	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) same (cover\$4 or encapsulat\$4) near4 (clear or transparent or transmissive) same (laser or etch\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/13 19:28
-	370	(chip or circuit or microprocessor or processor or IC) with (mark\$4 or indicia or label\$ or identifier or barcode or "bar code" or "machine readable" or tag) same (cover\$4 or encapsulat\$4) same (laser or etch\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 07:42
-	3	5479049.pn. 5461545.pn. 4300184.pn.	USPAT; US-PGPUB; EPO; JPO	2004/04/14 07:47
-	781	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or burn\$4 or laser or scrib\$4 or enscrib\$4 or carv\$4 or mark\$4) with (label or indicia or barcode or tag or "machine readable" or "bar code" or mark\$4) with (surface or side or face) same (seal\$4 or encapsulat\$4 or cover\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 10:44

-	185	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or burn\$4 or laser or scribe\$4 or engrave\$4 or carve\$4 or mark\$4) near5 (label or indicia or barcode or tag or "machine readable" or "bar code" or mark\$4) with (surface or side or face) same (seal\$4 or encapsulate\$4 or cover\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:15
-	84	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or burn\$4 or scribe\$4 or engrave\$4 or carve\$4 or mark\$4) with laser near5 (label or indicia or barcode or tag or "machine readable" or "bar code" or mark\$4) same (encapsulate\$4 or seal\$4 or resin or epoxy)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:16
-	61	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or burn\$4 or scribe\$4 or engrave\$4 or carve\$4 or mark\$4) with laser near5 (label or indicia or barcode or tag or "machine readable" or "bar code" or mark\$4) with (surface or side or face) same (seal\$4 or encapsulate\$4 or cover\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:18
-	1	5937270.pn.	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:21
-	32	("3751587" "4148057" "4375025" "4585931" "4638144" "4707722" "4719502" "4753819" "4753863" "4861620" "4945204" "4964948" "5030551" "5157412" "5206280" "5262470" "5266349" "5268194" "5302553" "5329090" "5346802" "5348033" "5357077" "5373039" "5413629" "5445923" "5493801" "5741361" "5761803" "5817541" "5822856" "5887345").pn.	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:26
-	1009	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or laser) same (mask\$4 or photolith\$8) same (indicia or label or mark or barcode or "bar code" or code)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:45
-	159	(chip or wafer or processor or microprocessor or IC or circuit) with (etch\$4 or laser) same (photolith\$8) same (indicia or label or mark or barcode or "bar code" or code)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 08:45

-	28	(US-6656644-\$ or US-4646142-\$ or US-6075358-\$ or US-6559409-\$ or US-6358777-\$ or US-6288335-\$ or US-6478532-\$ or US-6207473-\$ or US-5984190-\$ or US-5838361-\$ or US-5817208-\$ or US-5737122-\$ or US-5596282-\$ or US-6200386-\$ or US-6121067-\$ or US-5373039-\$ or US-5302553-\$ or US-4719502-\$ or US-4707722-\$ or US-4585931-\$).did. or (US-20020173077-\$ or US-20020006829-\$ or US-20030205622-\$ or US-20030203591-\$ or US-20020014661-\$ or US-20020036235-\$).did. or (JP-07106103-\$ or JP-06325913-\$).did.)	USPAT; US-PGPUB; JPO	2004/04/14 10:00
-	8	((US-6656644-\$ or US-4646142-\$ or US-6075358-\$ or US-6559409-\$ or US-6358777-\$ or US-6288335-\$ or US-6478532-\$ or US-6207473-\$ or US-5984190-\$ or US-5838361-\$ or US-5817208-\$ or US-5737122-\$ or US-5596282-\$ or US-6200386-\$ or US-6121067-\$ or US-5373039-\$ or US-5302553-\$ or US-4719502-\$ or US-4707722-\$ or US-4585931-\$).did. or (US-20020173077-\$ or US-20020006829-\$ or US-20030205622-\$ or US-20030203591-\$ or US-20020014661-\$ or US-20020036235-\$).did. or (JP-07106103-\$ or JP-06325913-\$).did.) and epoxy	USPAT	2004/04/14 10:00
-	7	((US-6656644-\$ or US-4646142-\$ or US-6075358-\$ or US-6559409-\$ or US-6358777-\$ or US-6288335-\$ or US-6478532-\$ or US-6207473-\$ or US-5984190-\$ or US-5838361-\$ or US-5817208-\$ or US-5737122-\$ or US-5596282-\$ or US-6200386-\$ or US-6121067-\$ or US-5373039-\$ or US-5302553-\$ or US-4719502-\$ or US-4707722-\$ or US-4585931-\$).did. or (US-20020173077-\$ or US-20020006829-\$ or US-20030205622-\$ or US-20030203591-\$ or US-20020014661-\$ or US-20020036235-\$).did. or (JP-07106103-\$ or JP-06325913-\$).did.) and epoxy and resin	USPAT	2004/04/14 10:39
-	12	((US-6656644-\$ or US-4646142-\$ or US-6075358-\$ or US-6559409-\$ or US-6358777-\$ or US-6288335-\$ or US-6478532-\$ or US-6207473-\$ or US-5984190-\$ or US-5838361-\$ or US-5817208-\$ or US-5737122-\$ or US-5596282-\$ or US-6200386-\$ or US-6121067-\$ or US-5373039-\$ or US-5302553-\$ or US-4719502-\$ or US-4707722-\$ or US-4585931-\$).did. or (US-20020173077-\$ or US-20020006829-\$ or US-20030205622-\$ or US-20030203591-\$ or US-20020014661-\$ or US-20020036235-\$).did. or (JP-07106103-\$ or JP-06325913-\$).did.) and contrast\$4	USPAT; US-PGPUB; EPO; JPO	2004/04/14 10:39
-	966	(chip or wafer or processor or microprocessor or IC or circuit) with (epoxy or resin or seal\$4 or encapsulat\$4) with (dye or color)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 10:52
-	7	(chip or wafer or processor or microprocessor or IC or circuit) with (epoxy or resin or seal\$4 or encapsulat\$4) with (dye or color) same (barcode or label or indicia)	USPAT; US-PGPUB; EPO; JPO	2004/04/14 10:53